


FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION
SPECIAL INFORMATION

GROUP 11

The Engine Build Code Number, the Vehicle Identification Number and the information provided on the Trim Plate are often necessary when determining the proper replacement parts for your vehicle. For their location refer to the General Information Section found at the front of this catalog.

NOTES

Similar Spring U-Bolts (Clips) have been used on all series. Use the listing below to select the U-Bolt to be ordered.



11.088-1 U-BOLT, Front Spring (Clip)(Refer To Above Illustration)

YEAR	MODEL	A	B	C	THREAD	PART
74/75	10-20-40..... (Ord. 535 2089)	3.40	4.75	2.00	9/16"-18	535 2085
74/	10-20-40.....	4.20	5.50	2.00	9/16"-18	535 2454
74/	10-20-40.....	4.20	5.00	2.00	9/16"-18	535 2455
74/	10-20-40.....	3.40	5.00	2.00	9/16"-18	535 2089
74/	46.....	4.20	6.00	2.00	9/16"-18	535 4408
76	46.....	3.40	5.50	2.00	9/16"-18	535 5488
74/75	83.....	3.69	4.25	1.75	7/16"-20	999 213
74/75	83.....	3.00	4.25	1.75	7/16"-20	999 211
74/75	83 (RHD).....	3.00	4.75	1.75	7/16"-20	999 212
74/	80-90.....	3.06	4.50	2.00	1/2"-20	535 3994
74/	80-90.....	3.75	4.50	2.00	1/2"-20	535 3997
74/75	83-84.....	3.06	5.00	2.00	1/2"-20	535 3995
74/75	83/84.....	3.69	5.25	1.75	7/16"-20	999 545
74/75	83-84.....	3.75	5.50	2.00	1/2"-20	535 3998
74/75	83-84.....	3.00	5.25	1.75	7/16"-20	999 546
74/75	83-84.....	3.06	5.50	2.00	1/2"-20	535 3996

11.132-1 U-BOLT, Rear Spring (Clip)(Refer To Above Illustration)

YEAR	MODEL	A	B	C	THREAD	PART
74/	10-25-45.....	3.40	5.00	2.00	9/16"-18	535 2089
74/	10-45..... (Ord. 535 2089)	3.40	4.75	2.00	9/16"-18	535 2085
76	10-25 (Heavy).....	3.40	5.50	2.00	9/16"-18	535 5488
74/75	25.....	3.28	5.50	1.75	1/2"-20	999 208
74/75	25.....	3.28	6.00	2.00	1/2"-20	999 209
74/	26-46.....	3.75	5.50	2.00	9/16"-18	535 2088
74/75	26.....	3.75	6.00	2.00	9/16"-18	535 3497
74/	46.....	3.75	5.00	2.00	9/16"-18	535 2090
74/75	80.....	3.28	5.50	1.50	1/2"-20	946 549
74/75	80.....	3.28	5.00	2.00	1/2"-20	999 207
74/75	80.....	3.28	7.00	1.50	1/2"-20	804 696
74/75	80.....	3.28	6.00	2.00	1/2"-20	999 209
74/75	80 (RHD).....	3.28	6.50	2.00	1/2"-20	999 210
76	80-90.....	3.06	4.25	2.00	1/2"-20	535 5792
76	80-90.....	3.06	4.75	2.00	1/2"-20	535 5764
76	80-90 (Export).....	3.06	5.25	2.00	1/2"-20	535 5974

11-1 The Rear Bushing of Rear Spring is 1-13/16" long.

11-2 The Rear Bushing of Rear Spring is 2-3/64" long.

11-3 The Front Bushing of Front Spring is 1-13/16" long.

11-4 The Front Bushing of Front Spring is 2-3/64" long.

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

GROUP 11

- 11-5 The Draw Bar has two (2) inner and two (2) outer Braces welded to Bar.
- 11-6 The Draw Bar has two (2) outer Braces only welded to Bar.
- 11-7 Has 2" x 2-1/2" Nylon Inserts between leaves at both ends of Spring.
- 11-8 Does not have Nylon Inserts between leaves at both ends of Spring.
- 11-9 The Spring Clips are located 16-3/4" and 22-3/4" from Center Bolt.
- 11-10 . . . The Spring Clips are located 9-1/4" and 17-1/2" from Center Bolt.
- 11-11 . . . This Kit must also be ordered when ordering 535 3200 Frame.

ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.024

GROUP NO. — DESCRIPTION — YEAR and MODEL	PAKS CODE	PRIMARY GROUP NO.	PER CAR	PART NO.	CODE
11.001-1 FRAME (Complete)					
74 10.....			1	535 2004	
75 10.....			1	535 3596	
76 10.....			1	535 4600	
74 20.....			1	535 2035	
75 20.....			1	535 3601	
76 20.....			1	535 4605	
74 40.....			1	535 2059	
75 40.....			1	535 3616	
76 40.....			1	535 4610	
74 83.....			1	535 2796	
75 83.....			1	535 3559	
76 83.....			1	535 4615	
74 84.....			1	535 2795	
75 84.....			1	535 3557	
76 84.....			1	535 4625	
76 93.....			1	535 4620	
11.001-2 REINFORCEMENT KIT, Frame					
74/75 83 (Heavy Duty-* 11-11).....			1	812 7085	
11.005-1 BRACKET, Spring Shackle					
74/75 (Front Spring-Left) 10-20-40.....			1	535 2011	
74/75 (Front Spring-Right) 10-20-40.....			1	535 2388	
76 (Front Spring-Front) 10-20-40.....			2	812 6802	
76 (Front Spring-Rear) 10-20-40.....			2	812 6802	
76 (Front Spring-Front) 80-90.....			2	535 5689	
74/75 (Front Spring) 80.....			2	999 387	
74/75 (Rear Spring) 80.....			2	645 966	
76 (Rear Spring-Rear) 80-90.....			2	535 5281	
11.005-2 ATTACHING PARTS, Spring Shackle Bracket To Frame					
BOLT, Hexagon..... 74/75 80.....	17.038		1	G123567	
BOLT, Hexagon..... 76 (Rear Spring) 80-90.....	17.038		4	G180147	
BOLT, Hexagon..... 76 (Front Spring) 80-90.....	17.038		4	G180147	
WASHER, Lock..... 74/75 80.....	17.820		1	G120383	
NUT, Hexagon..... 74/75 80.....	17.406		1	G271506	
NUT, Hexagon..... 76 (Front Spring) 80-90.....			4	400 4050	
NUT, Hexagon..... 76 (Rear Spring) 80-90.....			4	400 4050	
11.008-1 BRACKET, Spring Pivot					
74/75 80.....			4	535 2603	
74/75 (Front Spring-Left) 10-20-40.....	11.005		1	535 2011	
74/75 (Front Spring-Right) 10-20-40.....	11.005		1	535 2388	
76 (Front Spring-Rear) 80-90.....			2	812 6588	
76 (Rear Spring-Front) 80-90.....			2	812 6588	
11.012-1 GUSSET, Side Rail To Rear Engine Crossmember					
75 80.....			2	535 3206	
11.012-2 ATTACHING PARTS, Gusset To Rear Engine Crossmember And Side Rail					
SCREW, Machine..... 75 80.....	17.629	AR		G273773	
NUT, Lock..... 75 80.....	10.260	AR		400 3909	
11.024-1 CROSSMEMBER, Center					
74/75 10.....			1	535 2024	
76 10.....			1	812 6842	
74/75 20-40.....			1	535 0833	
76 20-40.....			1	812 6843	
74/75 80.....			1	999 962	
76 80-90.....			1	812 6594	
11.024-2 CROSSMEMBER, Intermediate Rear					
74 10.....			1	535 2759	
75 10.....			1	535 3968	
76 10.....			1	812 6846	
74/75 20-40.....			1	991 694	
76 20-40.....			1	812 6847	
74 80.....			1	992 891	
75 80.....			1	535 4645	
76 80-90.....			1	812 6596	

11.024 FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.024-3 CROSSMEMBER, Rear

74	10	1	535 2400
75	10	1	535 4539
76	10	1	812 6848
74/75	20-40	1	535 2028
76	20-40	1	812 6849
74	80	1	535 2404
75	80	1	535 4014
76	80-90	1	812 6597

11.024-3a SPACER, Intermediate Rear To Frame

74/75	80	2	909 932
-------	----	-------	-------	---	---------

11.024-4 ATTACHING PARTS, Rear Crossmember To Side Rails

BOLT, Hexagon	74/75	10	... (3/8"-24 x 3/4")	17.038	8	G181635
BOLT, Hexagon	74/75	10-20-40	... (7/16"-20 x 7/8")	17.038	AR	G123561
BOLT, Hexagon	74	80	... (3/8"-24 x 1")	17.038	2	G181637
BOLT, Hexagon	74/75	80	... (7/16"-20 x 1")	17.038	4	G123567
WASHER, Lock	74/75	10	... (3/8")	17.820	8	G120382
WASHER, Lock	74/75	10-20-40	... (7/16")	17.820	AR	G120383
WASHER, Lock	74/75	80	17.820	4	G120383
WASHER, Plain	74/75	80	17.814	4	G120395
NUT, Hexagon	74/75	10	... (3/8"-24)	17.406	8	G120369
NUT, Hexagon	74/75	10-20-40	... (7/16"-20)	17.406	AR	G271506
NUT, Hexagon	74	80	... (3/8"-24)	17.412	2	G271193
NUT, Hexagon	74/75	80	... (7/16"-20)	17.406	4	G271506

11.054-1 BRACKET, Body Hold Down

74/75	(No. 1) 10	2	940 416
76	(No. 1-Left) 10	1	812 6835
76	(No. 1-Right) 10	1	812 6836
74/75	(No. 2) 10	2	535 2019
74/75	(No. 3) 10	2	535 2020
76	(No. 3) 10	2	812 6840
74/75	(No. 4) 10	2	535 2021
76	(No. 4-Left) 10	1	812 6853
76	(No. 4-Right) 10	1	812 6854
74/75	(No. 5-Left) 10	1	535 2023
74/75	(No. 5-Right) 10	1	535 2022
74	(Front) 20-40	... (Bracket Is 15/16" High) (Use 535 3411)	2	535 2793
74/75	(Front) 20-40	... (Bracket Is 1-1/4" High)	2	535 3411
76	(Front) 20-40	2	812 6803
74/75	(No. 1) 20-40	2	946 706
76	(No. 1-Left) 20-40	1	812 6837
76	(No. 1-Right) 20-40	1	812 6838
74	(No. 2) 20-40	... (Mounting Hole Is 5/8" Dia.)	2	929 979
74/75	(No. 2) 20-40	... (Mounting Hole Is 1-3/16" Dia.)	2	535 2043
76	(No. 2) 20-40	2	812 6839
74/75	(No. 3) 20-40	2	930 894
76	(No. 3) 20-40	2	812 6841
74	(No. 4-Left) 20-40	... (Mounting Hole Is 9/16" Dia.)	1	978 870
74/75	(No. 4-Left) 20-40	... (Mounting Hole Is 3/4" Dia.)	2	946 743
76	(No. 4-Left) 20-40	1	812 6855
74	(No. 4-Right) 20-40	... (Mounting Hole Is 9/16" Dia.)	1	978 871
74/75	(No. 4-Right) 20-40	... (Mounting Hole Is 3/4" Dia.)	2	946 744
76	(No. 4-Right) 20-40	1	812 6856
74/75	(Front) 80	2	535 2961
74/75	(No. 1) 80	2	994 408
76	(No. 1) 80-90	2	812 6590
74/75	(No. 2) 80	2	914 201
76	(No. 2) 80-90	2	812 6593
76	(No. 3) 80-90	2	812 6593
74/75	(Rear)	2	994 408
74/75	(Clutch Bracket Support)	1	535 1491

11.066-1 HOOK KIT, Pintle (Complete)

74	20	1	933 474
----	----	-------	-------	---	---------

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.066

11.066-2	HOOK, Pintle							
	74	20-80	1		A 593		
	76	20-40-80-90	1		961 171		
	75	80	1		A 593		
11.066-3	ATTACHING PARTS, Pintle Hook To Bracket And Crossmember							
	BOLT, Hexagon	74	(1-1/4" Long) ...20	17.038	1	G181698		
	BOLT, Hexagon	74	(2-3/4" Long) ...20	17.038	1	G124186		
	BOLT, Hexagon	76	20-40... (1/2"-13 x 2-3/4")	17.038	1	G179892		
	BOLT, Hexagon	76	20-40... (1/2"-13 x 1-1/4")	17.038	3	G9419099		
	BOLT, Hexagon	74/75	80	17.038	4	G124133		
	BOLT, Hexagon	76	80-90	17.038	4	G9419079		
	WASHER, Lock	74/75	80	17.820	4	G120383		
	NUT, Hexagon	74	20	17.406	2	G120371		
	NUT, Hexagon	76	20-40	17.406	4	G120378		
	NUT, Hexagon	74/75	80	17.406	2	G271506		
	NUT, Lock	76	80-90	4	400 3956		
11.066-4	PLATE, Pintle Hook Reinforcement							
	74	20	1		932 311		
	76	20-40	1		932 311		
11.066-5	EYEBOLT, Safety Chain Pintle Hook							
	74	20	2		A 6393		
	74/75	80	2		994 169		
11.066-6	ATTACHING PARTS, Eyebolt To Pintle Hook Bracket Or Draw Bar Brace							
	SPACER	74/75	80	6	642 895		
	WASHER, Lock	74	20	11.088	2	400 4808		
	WASHER, Lock	74/75	80	17.820	2	G120384		
	WASHER, Plain	74/75	80	17.814	AR	G120396		
	NUT, Hexagon	74	20-80	17.406	2	G120378		
11.066-7	BRACKET, Pintle Hook							
	74	20	2		930 403		
	76	20-40	2		930 403		
11.066-8	ATTACHING PARTS, Bracket To Crossmember And Reinforcement							
	BOLT, Hexagon	74	20	17.038	3	G124180		
	BOLT, Hexagon	76	20-40... (1/2"-13 x 2-1/2")	17.038	3	G180185		
	WASHER, Lock	74	20	17.820	3	G120384		
	WASHER, Lock	76	20-40	17.820	3	G120384		
	NUT, Hexagon	74	20	17.406	3	G120371		
	NUT, Hexagon	76	20-40	17.406	3	G120378		
11.066-9	REINFORCEMENT, Rear Crossmember							
	74	20	1		930 404		
	76	20-40	1		930 404		
	74	80	1		535 1238		
	75	80	1		535 4481		
11.066-10	ATTACHING PARTS, Reinforcement To Rear Crossmember							
	BOLT, Hexagon	74	20	17.038	8	G180132		
	BOLT, Hexagon	76	20-40	17.038	8	G180132		
	SPACER	74	20	8	932 292		
	SPACER	76	20-40	8	932 292		
	WASHER, Lock	74	20	17.820	8	G120382		
	WASHER, Lock	76	20-40	17.820	8	G120382		
	NUT, Hexagon	74	20	17.406	8	G120377		
	NUT, Hexagon	76	20-40	17.406	8	G120377		
11.066-11	BRACE, Rear Crossmember							
	74	20... (16-1/8" Long From Crossmember To Side Rail)	2		932 305		
	74	20... (10-1/2" Long From Crossmember To Side Rail)	2		535 4020		
	76	20 (Used With Pintle Hook)	1		535 4020		
	76	40 (Used With Pintle Hook)	1		535 4021		

11.066 FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.066-12 ATTACHING PARTS, Brace To Side Rail

BOLT, Hexagon	74	20	17.038	4	G181635
BOLT, Hexagon	76	20-40	17.038	4	G180122
WASHER, Lock	74	20	17.820	4	G120382
WASHER, Lock	76	20-40	17.820	4	G120382
NUT, Hexagon	74	20	17.406	4	G120369
NUT, Hexagon	76	20-40	17.406	4	G120377

11.066-13 PLATE, Frame Reinforcement Rear

74/75 80				1	A 534
----------	--	--	--	---	-------

11.066-14 BRACE, Draw Bar Upper

74/75 80				1	994 159
----------	--	--	--	---	---------

11.066-15 ATTACHING PARTS, Upper Brace To Floor Pan

BOLT, Hexagon	74	80...(1-1/2" Long)	17.038	2	G120234
BOLT, Hexagon	74/75	80...(2" Long)	27.290	2	400 4543
WASHER, Plain	74/75	80...(5/32" Thick)	20.001	2	642 339
WASHER, Plain	74	80...(1/16" Thick)	17.814	AR	G120395
NUT, Lock	74/75	80	17.416	2	G9413215
WASHER, Lock	74	80	17.820	2	G120384
NUT, Hexagon	74	80	17.406	2	G120371

11.068-1 DRAW BAR KIT

74 80 (* 11-5)				1	812 5048
74 80 (* 11-6)				1	812 5156
75 80				1	812 6035

11.068-2 DRAW BAR ASSEMBLY

74 80 (* 11-5)				1	535 3030
74 80 (* 11-6)				1	535 4067
75 80				1	535 4846

11.068-2a DRAW BAR AND PINTLE HOOK REINFORCEMENT

76 80-90				1	535 5482
----------	--	--	--	---	----------

11.068-3 ATTACHING PARTS, Draw Bar To Rear Crossmember

BOLT, Hexagon	74	(7/16"-20 x 1-1/4")...80	17.038	2	G181668
BOLT, Hexagon	74/75	(3/8"-24 x 1-1/4")...80	17.038	4	G181639
BOLT, Hexagon	75	(3/8"-16 x 1-1/4")...80	17.038	4	G180124
NUT, Hexagon	74	(7/16"-20)...80	17.406	1	G271506
NUT, Hexagon	74/75	(3/8"-24)...80	17.406	4	G120369
NUT, Hexagon	75	(3/8"-16)...80 (Serrated Washer)	10.260	4	400 3909
WASHER, Lock	74	(7/16")...80	17.820	3	G120383
WASHER, Lock	74/75	(3/8")...80	17.820	4	G120382

11.068-4 BRACE, Draw Bar

74 (Left-Lower) 80 (* 11-5)				1	994 163
74/75 (Left-Lower) 80 (* 11-6)				1	535 4068
74 (Right-Lower) 80 (* 11-5)				1	994 164
74/75 (Right-Lower) 80 (* 11-6)				1	535 4069
76 80-90				4	535 5461

11.068-5 ATTACHING PARTS, Upper Brace To Inner Braces

BOLT, Hexagon	74	(7/16"-20 x 1-3/4")...80	17.038	2	G181672
NUT, Hexagon	74	(Lower) 80	17.406	2	G271506
WASHER, Lock	74	80	17.820	2	G120383

11.068-5a ATTACHING PARTS, Draw Bar And Outer Braces To Rear Crossmember

BOLT, Hexagon	76	80-90	17.038	12	G9419077
NUT, Lock	76	80-90		12	400 3956

11.068-6 ATTACHING PARTS, Lower Brace To Frame

BOLT, Hexagon	74	(7/16"-14 x 1-1/2")...80	17.038	4	G9425080
BOLT, Hexagon	74/75	(3/8"-24 x 1-1/4")...80	17.038	4	G181639

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.070

BOLT, Hexagon	75	(3/8"-16 x 1-1/4")	80	17.038	4	G180124
WASHER, Plain	74	(7/16")	80	17.814	4	G120395
WASHER, Plain	74/75	(3/8")	80	17.814	AR	G120394
WASHER, Lock	74	(7/16")	80	11.170	4	400 4809
WASHER, Lock	74/75	(3/8")	80	17.820	4	G120382
NUT, Hexagon	74	(7/16"-14)	80	17.406	4	G271501
NUT, Hexagon	75	(3/8"-16)	80 (Serrated Washer)	10.260	4	400 3909
NUT, Hexagon	74/75	(3/8"-24)	80	17.406	4	G120369
11.068-7 ATTACHING PARTS, Lower Brace To Draw Bar						
BOLT, Hexagon	74/75	(1/2"-20 x 1-1/2")	80	17.038	2	G120234
SPACER	74	(Left Side)	80 (* 11-5)		1	535 3031
WASHER, Lock	74/75	(1/2")	80	17.820	2	G120384
NUT, Hexagon	74/75	(1/2"-20)	80	17.406	2	G120371
11.068-8 ATTACHING PARTS, Upper Brace To Floor Pan Seat Belt Reinforcement To Anchor						
BOLT, Hexagon	74	80		17.038	2	G454974
WASHER, Plain	74	80 (Reinforcement-Used When Seat Belts Not Installed)		20.001	2	642 339
NUT, Lock	74	80		17.416	2	G272712
11.068-9 SUPPORT, Left Side Bumper						
74/75	80				1	535 3453
11.068-10 ATTACHING PARTS, Bumper Support And Lower Braces To Frame And Bumper						
BOLT, Hexagon	74/75	(1-3/4" Long)	80	17.038	3	G181639
BOLT, Hexagon	75	(3/8"-16 x 1-1/4")	80	17.038	2	G180124
WASHER, Lock	74/75	(3/8")	80	17.820	3	G120382
WASHER, Hexagon	75	(1-3/8"-16)	80	10.260	2	400 3909
NUT, Hexagon	74/75	80		17.406	3	G120369
WASHER, Plain	74/75	80		17.814	3	G120394
11.068-11 PLATE, Draw Bar						
74	80				1	640 737
75	80				1	535 5234
76	80-90 (Used With Swingout Tire Carrier)				1	535 6410
76	80-90 (Used With Side Mounted Tire Carrier)				1	535 5458
11.068-12 ATTACHING PARTS, Draw Bar Plate To Draw Bar						
BOLT, Hexagon	74/75	80		17.038	2	G428811
BOLT, Hexagon	76	80-90...(1/2"-13 x 1-1/2")		17.038	3	G9419101
BOLT, Hexagon	76	80-90...(1/2"-13 x 2")		17.038	3	G9419105
WASHER, Lock	74/75	80		17.820	2	G131046
NUT, Hexagon	74/75	80		17.406	2	G426099
NUT, Lock	76	80-90			3	400 5098
11.070-1 SPRING ASSEMBLY, Front Leaf (Incl. Bushings)						
74	(2 Leaf-Light) 10-25-45				2	535 2075
74	(2 Leaf-Heavy) 10-25				2	535 3467
74	(2 Leaf-Light) 26-46 (* 11-7)				2	535 2075
74	(2 Leaf-Light) 26-46 (* 11-8)				2	535 3467
75	(2 Leaf-Light) 26-46				2	535 3467
75	(2 Leaf-Heavy) 26-46				2	535 3467
74/75	(3 Leaf-Heavy) 10-20-40				2	535 3343
75	(4 Leaf-Light) 10-25-45				2	535 4548
74	(7 Leaf-Light) 83-84 (* 11-3)		(Ord. 535 3463)		2	535 2844
74	(7 Leaf-Light) 83-84 (* 11-4)				2	535 3463
75	(7 Leaf-Light) 84				2	535 3463
74	(9 Leaf-Light) 83-84 (* 11-3)		(Ord. 535 3462)		2	535 2848
74	(9 Leaf-Light) 83-84 (* 11-4)				2	535 3462
75	(9 Leaf-Light) 83				2	535 3462
74	(10 Leaf-Heavy) 80 (* 11-3)				2	999 528
74	(10 Leaf-Heavy) 80 (* 11-4)		(Ref. Pr. List)		2	535 4016
75	(10 Leaf-Heavy) 80		(Ref. Pr. List)		2	535 4016

11.070

ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.070-1a SPRING ASSEMBLY, Front Leaf (Less Bushings)

76	(2 Leaf-Heavy) 10-25-45 (V8)	2	535 3466
76	(2 Leaf-Light) 26-46	2	535 3466
76	(3 Leaf-Extra Heavy) 10-25-45 (Used With Snow Plow Winch)	2	535 3338
76	(3 Leaf-Heavy) 26-46	2	535 3338
76	(4 Leaf-Light) 10-25-46 (Six)	2	535 5574
76	(4 Leaf-Light) 80-90 (Six)	2	535 4890
76	(4 Leaf-Light) 80-90 (V8)	2	535 5581
76	(4 Leaf-Light) 90 (Used With Hardtop)	2	535 5581
76	(5 Leaf-Light) 10-25-45 (V8)	2	535 5577
76	(5 Leaf-Heavy) 10-25-45 (Six)	2	535 5577
76	(7 Leaf-Heavy) 80-90 (Six)	2	535 4892
76	(7 Leaf-Heavy) 80-90 (V8)	2	535 4892

11.070-2 ATTACHING PARTS, Front Spring To Shackle Or Bracket

BOLT, Hexagon	74/	10-20-40	..(9/16"-12 x 3-3/4")	17.038	4	G9419141
BOLT, Hexagon	74/	10-20-40	..(9/16"-12 x 4-1/4")	17.038	2	G9419209
BOLT, Hexagon	74/75	80	..(3" Long)	17.038	4	G9419089
BOLT, Hexagon	74/75	80	..(3-1/4" Long)	17.038	4	G9418966
BOLT, Hexagon	76	80-90	..(9/16"-12 x 4-1/4")	17.038	2	G9419209
WASHER, Lock	74	80	11.170	4	400 4809
NUT, Lock	74/75	10-20-40	..(9/16"-12)	10.050	6	400 3979
NUT, Lock	74/75	10-20-40	..(5/8"-18)	11.100	2	400 4871
NUT, Lock	74/75	80	17.416	4	G9414073
NUT, Lock	76	80-90	2	400 3979

11.070-3 BUMPER, Front Spring

74/75	80	2	931 263
-------	----	-------	-------	---	---------

11.070-4 ATTACHING PARTS, Bumper To Bracket

NUT, Hexagon	74/75	80	17.412	2	G271190
--------------	-------	----	-------	--------	---	---------

11.070-5 BRACKET, Front Spring Bumper

74/75	80	2	998 730
-------	----	-------	-------	---	---------

11.070-6 ATTACHING PARTS, Bracket To Frame

SCREW, Tapping	75	80	10.340	4	400 5063
SCREW, Tapping	74	80	17.672	4	G172455

11.072-1 LEAF, Front Spring No. 1

76	(5 Leaf-Light) 10-25-45 (V8)	2	A 535 5577
76	(5 Leaf-Heavy) 10-25-45 (Six)	2	A 535 5577
74/75	(7 Leaf-Light) 84	2	A 999 530
76	(7 Leaf-Heavy) 80-90	2	A 535 4892
74/75	(9 Leaf-Light) 83	2	A 999 529
74/75	(10 Leaf-Heavy) 80	2	A 999 528

11.072-2 LEAF, Front Spring No. 2

74/75	(7 Leaf-Light) 84	2	B 999 530
76	(7 Leaf-Heavy) 80-90	2	B 535 4892
74/75	(9 Leaf-Light) 83	2	B 999 529
74/75	(10 Leaf-Heavy) 80	2	B 999 528

11.088-1 U-BOLT, Front Spring (Clip) (Refer To Special Information Page Gr. 11-1)

11.088-2 ATTACHING PARTS, Front Spring U-Bolt (Clips) To Axle

WASHER, Lock	74/	10-20-40	..(9/16" I.D.)	8	400 4806
WASHER, Lock	74/	80	..(1/2" I.D.)	8	535 0644
WASHER, Lock	74	80	..(7/16" I.D.)	11.170	8	400 4809
NUT, Hexagon	74/	10-20-40	..(9/16")	17.406	8	G9420350
NUT, Hexagon	74/	80	..(1/2"-20)	17.406	8	G9421085
NUT, Hexagon	74	80	..(7/16"-20)	17.406	8	400 1247

11.088-3 PLATE, Front Leaf Spring To Axle U-Bolt Tie

LEFT

74/	10-20-40	1	535 2087
74/75	80	(Has 4-17 32" U-Bolt Mounting Holes)	1	535 3990
74	80	(Has 4-15 32" U-Bolt Mounting Holes)	1	999 447
76	80-90	(Used Less Stabilizer)	1	535 3857
76	80-90	(Used With Stabilizer)	1	535 5607

ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.100

RIGHT				
74/	10-20-40.....	1	535 2084
74/75	80 (Has 2-17.32" And 2-9/16" U-Bolt Mounting Holes)	1	535 3991
74	80 (Has 2-15.32" And 2-1/2" U-Bolt Mounting Holes)	1	999 446
76	80-90 (Used Less Stabilizer)	1	535 3858
76	80-90 (Used With Stabilizer)	1	535 5608
11.088-4	SHIM, Front Spring To Axle			
74/75	80 (RHD).....	1	535 1055
11.088-5	SPACER, Front Spring To Axle			
74/	(Right) 10-20-40.....	1	535 4407
11.100-1	SPRING ASSEMBLY, Rear Leaf (Incl. Bushings)			
74	(2 Leaf-Light) 10-25	2	535 2080
74/75	(2 Leaf-Heavy) 10-25	(Ref. Pr. List)	2	535 3469
74/75	(2 Leaf) 45	2	535 2551
74/75	(2 Leaf-Light) 46 (GVW 6500-7200).....	2	535 2551
74/75	(3 Leaf) 46 (GVW 8000)	11.101	2	535 2082
74/75	(3 Leaf-Heavy) 46 (GVW 6500-7200).....	11.101	2	535 2082
74	(5 Leaf-Light) 80 (* 11-1).....	(Ref. Pr. List)	2	535 2845
74	(5 Leaf-Light) 80 (* 11-2).....	(Ref. Pr. List)	2	535 3464
75	(5 Leaf-Light) 80	(Ref. Pr. List)	2	535 3464
74	(6 Leaf-Light) 10-25	2	535 2933
75	(6 Leaf-Light) 10-25 (* 11-9)	2	535 4547
75	(6 Leaf-Heavy) 10-25 (* 11-10)	2	535 2933
74	(8 Leaf) 25 (GVW 5600)	2	535 3063
74	(8 Leaf) 25 (GVW 5200)	2	812 5029
74/75	(8 Leaf) 26	2	535 3063
74	(10 Leaf-Heavy) 80 (* 11-1)	2	535 3367
74	(10 Leaf-Heavy) 80 (* 11-2).....	(Ref. Pr. List)	2	535 4015
75	(10 Leaf-Heavy)	(Ref. Pr. List)	2	535 4015
11.100-1a	SPRING ASSEMBLY, Rear Leaf (Less Bushings)			
76	(2 Leaf-Heavy) 45	2	535 5415
76	(2 Leaf-Light) 46 (GVW 6500-7200).....	2	535 5415
76	(3 Leaf) 46 (GVW 8000)	2	535 5414
76	(3 Leaf-Heavy) 46 (GVW 6500-7200).....	2	535 5414
76	(4 Leaf-Light) 45	2	535 5576
76	(4 Leaf-Light) 80-90	2	535 4891
76	(5 Leaf-Light) 10-25.....	2	535 5066
76	(5 Leaf-Heavy) 10-25	2	535 5460
76	(5 Leaf) 26	2	535 5460
76	(5 Leaf-Light) 80-90	2	535 5580
76	(7 Leaf-Heavy) 80-90	2	535 4893
76	(9 Leaf-Heavy-Export) 80-90	2	535 5943
11.100-2	ATTACHING PARTS, Rear Leaf Spring To Shackle Or Bracket			
BOLT, Hexagon	74/75 10-20-40...(9/16"-12 x 3-3/4")	17.038	2	G9419141
BOLT, Hexagon	74/75 10-20-40...(9/16"-12 x 4-1/4")	17.038	2	G9419209
BOLT, Hexagon	76 10-20-40...(9/16"-12 x 4")	17.038	6	G9419142
BOLT, Hexagon	74/75 80.....	17.038	2	G9418966
BOLT, Hexagon	76 80-90...(9/16"-12 x 4-1/4")	17.038	2	G9419209
WASHER, Plain.....	74/75 10-20-40	2	400 4886
WASHER, Lock	74 80.....	11.170	2	400 4809
NUT, Lock.....	76 80-90.....	2	400 3979
NUT, Lock.....	74/75 10-20-40...(9/16"-12)	10.050	2	400 3979
NUT, Lock.....	74/75 10-20-40...(5/8"-18)	2	400 4871
NUT, Lock.....	76 10-20-40.....	6	400 3979
NUT, Lock.....	74/75 80.....	17.416	2	G9414073
11.100-4	SPACER KIT, Rear Leaf Spring To Axle			
74	80...(Incl. Spacer And Peg).....	1	812 0783
11.100-6	SPACER, Rear Leaf Spring To Axle			
74/75	80 (RHD).....	11.140	1	948 385

11.100 ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.100-7	PEG, Rear Leaf Spring To Axle				
	74/75 80 (RHD).....	11.140	1	948 386	
11.100-8	SHIM, Rear Leaf Spring To Spring Seat				
	74 (Left) 80...(.21" Thick).....	11.088	1	535 1055	
11.104-1	NO. 1 LEAF, Rear Leaf Spring (Main)				
	76 (5 Leaf-Light) 10-25		2	A 535 5066	
	76 (5 Leaf-Heavy) 10		2	A 535 5460	
	76 (5 Leaf) 26		2	A 535 5460	
	74/75 (5 Leaf) 80		2	936 941 001	
	76 (5 Leaf-Light) 80-90		2	A 535 5580	
	75 (6 Leaf-Light) 10-25		2	812 5802	
	74/75 (6 Leaf-Heavy) 10-25		2	A 535 2881	
	76 (7 Leaf-Heavy) 80-90		2	A 535 4893	
	74/75 (8 Leaf) 25 (GVW 5600)		2	A 947 091	
	74 (8 Leaf) 25 (GVW 5200)		2	A 947 090	
	74/75 (8 Leaf) 26		2	A 947 091	
	76 (9 Leaf-Heavy-Export) 80-90		2	A 535 5943	
	74/75 (10 Leaf-Heavy) 80		2	812 4808	
11.104-2	NO. 2 LEAF, Rear Leaf Spring				
	74/75 (5 Leaf) 80		2	936 941 002	
	76 (7 Leaf-Heavy) 80-90		2	B 535 4893	
	76 (9 Leaf-Heavy-Export) 80-90		2	B 535 5943	
	74/75 (10 Leaf-Heavy) 80		2	B 535 0699	
11.106-1	HANGER, Rear Spring Shackle				
	74/75 (Rear) 10...(Incl. Shaft)		2	937 771	
	76 (Rear) 10.....		2	812 6861	
	74/75 (Rear) 20...(Incl. Shaft)		2	535 2471	
	76 (Rear) 20-40.....		2	812 6860	
	74/75 (Rear) 40...(Incl. Shaft)		2	535 2472	
11.106-2	SHAFT, Rear Spring Front Hanger				
	74/75 20-40.....		2	535 2475	
11.107-1	BRACKET, Rear Spring Hanger Pivot				
	74/75 (Front) 10.....		2	535 2460	
	76 (Front) 10-20.....		2	812 6850	
	74/75 (Front) 20.....		2	535 2470	
	74/75 (Front) 40.....		4	991 794	
	76 (Left-Front) 40.....		1	812 6851	
	76 (Right-Front) 40.....		1	812 6852	
11.107-2	REINFORCEMENT, Rear Spring Hanger And Shock Mounting				
	74/75 40.....		4	991 792	
	74/75 10.....		2	928 714	
11.132-1	U-BOLT, Rear Spring Clip (Refer To Special Information Page Gr 11 - 1)				
11.132-2	ATTACHING PARTS, Rear Spring U-Bolt (Clips) To Axle				
	WASHER, Lock..... 74/ 10-20-40...(9/16").....	11.088	8	400 4806	
	WASHER, Lock..... 74 25...(1/2").....		8	535 0644	
	WASHER, Lock..... 74 80.....	11.170	8	400 4809	
	WASHER, Lock..... 75/ 80.....	11.088	8	400 4808	
	NUT, Hexagon..... 74/ 10-20-40...(9/16"-18 x 39/64").....	17.406	8	G9420350	
	NUT, Hexagon..... 74 25...(1/2"-20).....	17.406	8	G9421085	
	NUT, Hexagon..... 74/ 80.....	17.406	8	G9421085	
11.136-1	PLATE, Rear Leaf Spring To Axle U-Bolt Tie				
	74 25...(17/32" U-Bolt Holes).....		2	912 615	
	74/ 26-46.....		2	535 2091	
	74/ 10-25-45...(19/32" U-Bolt Holes).....	11.088	2	535 2087	
	74/75 (Left) 80.....		1	992 798	
	76 (Left) 80-90.....		1	535 5760	
	74/75 (Right) 80.....		1	992 797	
	76 (Right) 80-90.....		1	535 5762	

11.144-1 BUSHING, Front Spring

FRONT

74/	10-20-40.....	2	944 871
74	80... (1-13/16" Long).....	35.200	2	921 055
74/75	80... (2-3/64" Long).....	2	535 2659

REAR

74/	10-20-40.....	2	535 2250
74/75	80.....	2	535 2659
76	80-90.....	2	535 3851

11.144-2 BUSHING, Rear Spring

FRONT

74/75	10-20-40.....	2	535 2249
76	10-20-40.....	2	535 5369
74/75	80.....	2	535 2659
76	80-90.....	2	535 5369

REAR

74/	10-20-40.....	2	944 870
74	80... (1-13/16" Long).....	35.200	2	921 055
74/75	80... (2-3/64" Long).....	2	535 2659

11.170-1 SHACKLE, Front Leaf Spring

74/75	10-25.....	2	535 2863
76	10-25-45.....	2	535 2863
74/75	26-40.....	2	535 2251
76	26-46.....	2	535 2251
74/75	80.....	35.215	4	645 964
76	80-90.....	2	535 3130

11.170-2 SHACKLE, Rear Leaf Spring

74	10-25 (One-Piece Stamping).....	2	535 2864
74	10-25 (Arms Welded To Bushing Retainer).....	2	535 2254
75	10-25.....	2	535 2864
76	10-25-46.....	2	535 2863
74/75	26-40.....	2	535 2254
76	26-46.....	2	535 2251
74/75	80.....	35.215	4	645 964
76	80-90.....	2	322 3998

11.170-3 BUSHING, Leaf Spring Shackle

FRONT SPRING

74/	10-20-40.....	2	535 2079
74	80... (1-13/16" Long).....	35.200	2	921 055
74/75	80... (2-3/64" Long).....	11.144	2	535 2659
76	80-90.....	8	535 5966

REAR SPRING

74/	10-20-40.....	2	944 874
74	80... (1-13/16" Long).....	35.200	2	921 055
74/75	80... (2-3/64" Long).....	11.144	2	535 2659
76	80-90.....	8	535 5841

11.170-4 SHACKLE PLATE (Front And Rear)

76	80-90.....	4	322 3997
----	------------	-------	---	----------

11.170-4a ATTACHING PARTS, Shackle Plate To Plate Pin (Shackle-Front And Rear)

NUT, Lock.....	76	80-90.....	17.406	8	G9416532
----------------	----	------------	--------	---	----------

11.170-5 ATTACHING PARTS, Front And Rear Leaf Spring Shackle To Bracket Or Hanger

BOLT, Hexagon.....	74/	10-20-40... (9/16"-12 x 3-3/4").....	17.038	4	G9419141
BOLT, Hexagon.....	74/	10-20-40... (9/16"-12 x 4-1/4").....	17.038	4	G9419209
BOLT, Hexagon.....	74/75	80... (7/16"-14 x 3-1/4").....	17.038	8	G9418966
WASHER, Lock.....	74	80.....	4	400 4809
NUT, Lock.....	74/	10-20-40... (5/8"-18).....	11.100	4	400 4871
NUT, Lock.....	74/	10-20-40... (9/16"-12).....	10.050	4	400 3979
NUT, Lock.....	74/75	80.....	10.290	8	400 3975

11.170

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.200-1	SHOCK, Front						
	74	(Light) 10-25-45	2	535	2067	
	75/	(Light) 10-25-45	2	535	4504	
	74/75	(Heavy) 10-25-45	2	535	2948	
	76	(Heavy) 10-25-45	2	535	5944	
	74/75	26	2	535	2948	
	76	26	2	535	5944	
	74	(Light) 46 (GVW 6500-7200)	2	535	2067	
	75/	(Light) 46 (GVW 6500-7200)	2	535	4504	
	74/75	(Heavy) 46 (GVW 6500-7200)	2	535	2948	
	76	(Heavy) 46 (GVW 6500-7200)	2	535	5944	
	74/75	46 (GVW 8000)	2	535	2948	
	76	46 (GVW 8000)	2	535	5944	
	74	(Light) 80	2	535	1214	
	75	(Light) 80	2	535	0875	
	76	(Light) 80-90	2	535	3216	
	74	(Heavy) 80	2	535	1215	
	75	(Heavy) 80	2	535	0876	
	76	(Heavy) 80-90	2	535	5684	
11.201-1	BRACKET, Front Shock To Frame						
	74	(Left) 10-20-40	1	535	2069	
	75/	(Left) 10-20-40	1	535	3619	
	74	(Right) 10-20-40	1	535	2070	
	75/	(Right) 10-20-40	1	535	3620	
	74/75	80	11.202	2	805 635	
	76	80-90	2	812	6587	
11.201-2	ATTACHING PARTS, Front Shock Bracket To Frame						
	BOLT, Hexagon	74	10-20-40 (Six) ... (3/8"-24 x 3")	17.038	6	G181652	
	BOLT, Hexagon	75/	10-20-40 (Six) ... (3/8"-16 x 3/4")	17.038	2	G273773	
	BOLT, Hexagon	75/	10-20-40 (Six) ... (3/8"-16 x 3")	17.039	4	G9420577	
	BOLT, Hexagon	74	10-25-40 (V8) ... (3/8"-24 x 3-1/4")	17.038	4	G189329	
	BOLT, Hexagon	75/	10-20-40 (LHD-V8) ... (3/8"-16 x 3-1/4")	17.038	4	G9421204	
	BOLT, Hexagon	75/	10-20-40 (LHD-V8) ... (3/8"-16 x 1")	17.038	2	G274195	
	WASHER, Plain	74	10-25-40 (V8) ... (13/32")	4	400 1761	
	WASHER, Lock	74	10-20-40	17.820	6	G120382	
	NUT, Hexagon	74	10-20-40	17.406	6	G120369	
	NUT, Lock	75/	10-20-40	10.260	4	400 3909	
11.202-1	BUSHING, Front And Rear Shock Absorber Mounting						
	74/	35.300	8	637 936	
11.203-4	ATTACHING PARTS, Front Shock To Frame (Upper)						
	WASHER, Plain	74/	(1/2" I.D.)	35.250	2	G120389	
	WASHER, Plain	74/	10-20-40 ... (21/32" I.D.)	17.814	2	G131016	
	NUT, Lock	74/	35.250	2	G274655	
11.203-5	ATTACHING PARTS, Front Shock To Axle (Lower)						
	BOLT, Hexagon	74/	10-20-40 ... (1/2"-20 x 2-1/2")	17.038	2	G181709	
	WASHER, Plain	74/	80	4	448 8495	
	NUT, Lock	76	10-20-40	2	400 4311	
	NUT, Lock	74/	80 ... (1/2"-20)	35.250	4	G9418370	
11.220-1	SHOCK, Rear						
	74	(Light) 10	2	535	2247	
	75	(Light) 10	2	535	4505	
	76	(Light) 10-25	2	535	5455	
	74	(Heavy) 10	2	535	2949	
	75	(Heavy) 10	2	535	4111	

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.225

76	(Heavy) 10-25	2	535 5456
74/75	(Light) 25-45	2	535 2653
74/75	(Heavy) 25-45	2	535 2654
74/	26	2	535 2654
76	(Light) 45	2	535 2653
76	(Heavy) 45	2	535 2654
74	(Light) 46 (GVW 6500-7200)	2	535 2653
74/	(Heavy) 46 (GVW 6500-7200)	2	535 2654
74/	46 (GVW 8000)	2	535 2654
74/75	(Light) 80	2	535 0755
76	(Light) 80-90	2	535 3217
74/75	(Heavy) 80	2	999 698
76	(Heavy) 80-90	2	535 5685
11.220-2	ATTACHING PARTS, Rear Shock To Axle			
	BOLT, Hexagon	74/ 10-20-40	17.038	2 G181709
	NUT, Lock	74/	35.250	2 G9418370
	WASHER, Plain	74/ 80		2 448 8495
11.220-3	ATTACHING PARTS, Rear Shock To Frame			
	WASHER, Plain	74/ 10-20-40 ... (7/16" I. D.)	35.250	2 G120389
	WASHER, Plain	74/75 10-20-40 ... (5/8" I. D.)	17.814	2 G131016
	WASHER, Plain	74/ 80	35.250	2 G120389
	NUT, Lock	74/	35.250	2 G274655
11.220-4	ATTACHING PARTS, Rear Shock Mounting Pin To Axle			
	NUT, Lock	74 10	17.416	2 G9418472
11.224-1	BRACKET, Rear Shock Mounting			
75	10... (Incl. Shaft)	2	535 3489
76	10... (Incl. Shaft)	2	812 6859
76	20	2	812 6857
74/75	(Left) 20	1	947 053
74/75	(Right) 20	1	947 054
76	40	2	812 6858
74/75	80	2	800 825
76	80-90	2	812 6598
11.225-1	SHAFT, Rear Shock Mounting			
74/75	40	2	535 2830

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION